

	Application No.	Applicant(s)
		1
Notice of Allowability	09/773,418 Examiner	CALDWELL ET AL. Art Unit
	Donald L. Mills	2616
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>response filed 11 July 2006</u> .		
2. The allowed claim(s) is/are <u>1-15</u> .		
 3.		
1. 🖂 Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	5. ☐ Notice of Informal I	Potent Application
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 		
	Paper No./Mail Da 7. ⊠ Examiner's Amend	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 09/773,418 Page 2

Art Unit: 2616

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Dan Piotrowski on 28 September 2006.

2. The application has been amended as follows:

Regarding claims 1-15, before the word "station(s)" the term – end user – has been added.

3. The following is an examiner's statement of reasons for allowance: the primary reason for allowance of the claims is the inclusion of the limitations including a peer-to-peer communication network where after communication between stations each of the plurality of stations store historical information relating to a transmission parameter received during transmission. Utilizing the parameter history, the receiving station then adjusts its receiver prior to reception of a signal from a transmitting station. These limitations are found in all of the independent claims. And, the previously mentioned limitations are not found in the prior art references.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 09/773,418 Page 3

Art Unit: 2616

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 4. In addition, regarding the abstract of the disclosure the reference to "(Figure 1)" following the last sentence of the paragraph should be removed.
- 5. Regarding the disclosure, the appropriate headings titled Background, Summary, Brief Description of the Drawings, and Detailed Description should be added. Appropriate correction is required.
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Donald L. Mills whose telephone number is 571-272-3094. The examiner can normally be reached on 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema Rao can be reached on 571-272-3174. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/773,418

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Donald L Mills

Dem

September 28, 2006

SEEMA S. RAO 9/29/06
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600

Page 4